


STUDIO Series



Make Your Home a Masterpiece.®







With the Studio Series, AMSCO combines energy efficiency, sturdy design and good looks into a budget-friendly vinyl window. With clean lines, large 3 inch frames, and energy-saving CōzE™ glass standard, these windows are ideal for homeowners who are looking for the perfect mix of performance, appearance and value. Choose from a number of options, styles and colors to create the perfect fit.

Studio Series Colors

The Studio Series offers three of the most popular colors in vinyl windows today to compliment any interior.

Studio Series colors:




Grid Options

The Studio Series gives you grid options to add architectural interest and design elements both inside and out. Grids are available in 5/8 inch flat and 3/4 inch sculptured sealed between the glass for easy cleaning. Custom grid patterns are available.



5/8 inch flat grids



3/4 inch sculptured grids

* Due to printing and screen limitations, colors shown are approximate and may not reflect actual colors. Request a product sample or color chip from your authorized AMSCO dealer prior to making any color decision.

A window that shows its value.

Frame Size

Large 3 inch frame width works well for both new construction and retrofit.

Performance Glass

Energy-efficient CōzE performance glass comes standard with every window.

Custom Sizing


Can be custom-ordered to the nearest 1/8 inch to fit any architectural design or custom window.

Hardware

Choose from a standard cam-action lock or an optional positive-action lock, both color-matched to the frame.

Hollow Chambers

Multiple hollow chambers enhance insulation and strength.



Equal Sight Line Option

Choose the equal sight line option for an aesthetically pleasing appearance.

Optional Stucco Key

Ideal for stucco applications.

Grids

Add a distinctive touch with 5/8 inch flat and 3/4 inch sculptured grids sealed between the glass for easy cleaning.

Warm-Edge Technology

3/4 inch warm-edge spacer technology reduces thermal transfer and condensation.

Smooth Look

No unsightly exterior or interior grooves on the window to interfere with the clean appearance.

Energy-efficient, high-performance glass

CōzE performance glass comes standard on every Studio Series window. But no single glass solution can work for every location. That's why wherever your home, whatever the climate, AMSCO offers a range of glass options to keep you comfortable while keeping energy costs down.



Our standard low-e performance glass for year-round solar control



The best choice for glare control combined with energy performance



The ultimate combination in energy performance, high visibility and significant UV protection

Brite

Naturally Clean Glass

Keeping ordinary glass windows clean is a constant challenge. AMSCO's new Brite™ glass uses an exterior coating that disperses water evenly over the surface for faster drying which reduces water spots by up to 99 percent. The Brite glass coating then harnesses the power of the sun to break down dirt and grime allowing them to be rinsed away with the next rain. Your windows stay clean and Brite longer.

Your choice for secure locking

The Studio Series features the most popular window hardware options with two choices in locks. The classic, time-tested cam-action lock comes standard on the Studio Series. Or, for a more contemporary look, choose the sleek, easy-to-use positive action lock, available on all operating windows. Both offer secure locking and peace of mind for homeowners.



Cam-Action Lock



Positive Action Lock

Contractor's Corner

Studio Series combines surprising value for the contractor, features that allow for quality installation every time and the options homeowners desire, making it the right window for any application.



- Lifetime warranty on all products
- Energy efficient CōzE glass standard to save your customers money on utility bills
- Multiple lock options to please any discerning customer
- Stucco key option makes finishing stucco a breeze
- Equal sight line option provides a more architecturally appealing look
- Large window combinations in a continuous frame for better structural performance
- A clean appearance is void of accessory grooves for easy finish work around the windows
- J-channel for installation applications using siding
- 1 inch and 1 3/8 inch nail fin setbacks for any exterior envelope application
- Wide choice of high-performance and specialty glass to meet all customer needs.
- Dual-wall flush fin frame for retrofit installation

Choose the Studio Series and see just how much this value-packed window has to offer. From quality engineering and design to contractor-friendly installation features, the Studio Series is the choice for your new construction or retrofit projects. Combine that with a lifetime warranty and now you have a window you can confidently stake your reputation on-the Studio Series from AMSCO Windows.

The Studio Series offers choices to fit your style.



Single Hung

- Block and tackle balances
- Sturdy cam-action lock or optional positive action lock
- Pocket sill
- Integral finger pulls in top and bottom of sash
- Equal lite option for even sight lines



Horizontal Slider

- Integral finger pulls in sash
- Sturdy cam-action lock or optional positive action lock
- Heavy duty, adjustable nylon rollers with steel axle
- Equal lite option for even sight lines



Picture/Fixed Window

- Direct Set
 - Lower cost than equal sight line option
 - Allows for maximum glass viewing area
- Optional Equal Sight Line
 - Superior aesthetics to direct set look
 - Matching sight lines align with vent units



Specialty Shapes

- Round top, Arch top, Octagon, Full circle, Half circle, Quarter circle, Quarter angle, Trapezoid, Quarter rectangular, Eyebrow rectangular

The AMSCO Vinyl Advantage

Not all vinyl is created equal. Lesser quality vinyl can discolor and warp with exposure to sun and harsh UV light. But AMSCO's unique, western-climate specific PVC formula is scientifically formulated to withstand even the harshest conditions season after season – all while maintaining its stability and function. And without ever cracking, chipping, flaking or chalking.

- Will not absorb moisture
- Color-stabilized vinyl to prevent discoloration
- Formulated specifically for mountain and southwest climate to maintain stability
- Protects against damaging effects of UV rays

We subject our vinyl to independent desert condition tests beyond what the industry requires so you can be assured of enjoying your AMSCO windows worry-free for years to come:

- Heat Resistance
- Weatherability
- Air Infiltration
- Water Resistance
- Dimensional Stability
- Impact Resistance
- Weight Tolerance
- Tensile Strength
- Corner-weld Strength




Independent Desert Test Facility

When exposed to identical conditions of light intensity, lesser quality vinyl allows more light to pass through. More light means ultraviolet rays can attack the polymer, leading to deformation and a "dingy" appearance. We add Calcium Carbonate and Titanium Dioxide to boost our patented vinyl formula and deliver superior color retention and stability. So AMSCO windows stay looking like new.



Light Penetration of Competitor's Vinyl Material



Light Penetration of AMSCO's Vinyl Material

	Glass Type	U-Value*	SHGC**	VT***	Structural Rating
Single Hung	CōzE	0.34	0.31	0.57	LC-35
	CōzE Tint	0.34	0.21	0.33	
	CōzE HV	0.33	0.23	0.53	
Horizontal Slider	CōzE	0.34	0.31	0.57	R-20/LC-25/LC-35
	CōzE Tint	0.35	0.21	0.33	
	CōzE HV	0.33	0.23	0.53	
Picture Window (Direct Set)	CōzE	0.31	0.33	0.63	C-40
	CōzE Tint	0.32	0.23	0.36	
	CōzE HV	0.31	0.25	0.58	
Equal Lite Single Hung	CōzE	0.34	0.29	0.55	LC-35
	CōzE Tint	0.35	0.21	0.31	
	CōzE HV	0.33	0.22	0.51	
Equal Lite Horizontal Slider	CōzE	0.35	0.29	0.55	R-20/LC-25
	CōzE Tint	0.35	0.20	0.31	
	CōzE HV	0.33	0.22	0.51	
Equal Lite Picture Window (Slider/Hung Frame)	CōzE	0.32	0.31	0.57	LC-25
	CōzE Tint	0.33	0.21	0.33	
	CōzE HV	0.31	0.23	0.53	

Note: Data published is for comparison purposes only and is accurate as of December 1, 2008. Performance data is for overall window units and not glass only. Data presented is based on DS annealed glass without grids. Other options may affect performance values. Please contact your authorized AMSCO dealer for actual values of units.

*U-value represents the amount of heat transfer as measured in accordance with NFRC 100.

**Solar heat gain coefficient (SHGC) measures the amount of solar radiation entering the building as measured per NFRC 200.

***Visible Transmittance (VT) measures the amount of visible light through the overall unit.

Certified Quality

In addition to our own stringent quality control standards, AMSCO is a proud member of the National Fenestration Rating Council, the American Architectural Manufacturers Association and has earned the right to carry the ENERGY STAR label, a program sponsored by the Department of Energy. These organizations set the standards for the entire window and door industry. And every AMSCO product meets or exceeds their standards for a host of critical quality standards, assuring you life-long, satisfying performance.



Make Your Home a Masterpiece.®



1880 South 1045 West
Salt Lake City, Utah 84104

Lifetime Warranty

Simply put, we back our windows with a warranty that gives you peace of mind. Our Lifetime Warranty covers any defects in materials or workmanship in our vinyl windows and doors for as long as you own your home. See your authorized AMSCO dealer or visit us online at www.amscowindows.com for complete warranty details.

Your Authorized AMSCO Windows Dealer:

Call 1(888)82-AMSCO
or visit www.amscowindows.com